

FOWX8.E165646
Fixed Capacitors for Use in Electronic Equipment Certified for Canada - Component

[Page Bottom](#)

Fixed Capacitors for Use in Electronic Equipment Certified for Canada - Component

[See General Information for Fixed Capacitors for Use in Electronic Equipment Certified for Canada - Component](#)

COWELL FASHION CO LTD
 270 SINWON-RO YEONGTONG-GU
 SUWON-SI, GYEONGGI-DO 16675 REPUBLIC OF KOREA

E165646

Fixed Capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (µF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
PCX2 347 and 347	X2	310 ac	0.0047µF~2.2µF M(+/-20%)	—	-55	+110
PCX2 339, 339, PCX2 337, 337	X2	305 ac	0.001µF~33.0µF M(+/-20%)	—	-55	+110
PCX2 335M, PCX2 335, 335M, 335	X2	305 ac	0.001µF~2.2µF M(+/-20%)	—	-55	+110
PCY2 130, 130	Y2	300 ac	0.001µF ~ 1µF (K: +/-10%, M: +/-20%)	—	-55	+110
PCX1 331 or 331	X1	440 ac	0.01µF~1µF M(+/-20%)	—	-55	+110
PCRC 420 and 420	X2	250 ac	0.033µF~0.22µF (K: +/-10%, M: +/-20%)	22, 47 or 120	-40	+85

PILKOR



Marking: Company name or trademark
[Last Updated](#) on 2016-05-02

and type designation and Recognized Component Mark for Canada,

[Questions?](#)

[Print this page](#)


[Terms of Use](#)

[Page Top](#)

◆ 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".



FOWX2.E165646
Fixed Capacitors for Use in Electronic Equipment - Component

[Page Bottom](#)

Fixed Capacitors for Use in Electronic Equipment - Component

[See General Information for Fixed Capacitors for Use in Electronic Equipment - Component](#)

COWELL FASHION CO LTD
 270 SINWON-RO YEONGTONG-GU
 SUWON-SI, GYEONGGI-DO 16675 REPUBLIC OF KOREA

E165646

Fixed Capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (μF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
PCX2 347 and 347	X2	310 ac	0.0047μF~2.2μF M(+/-20%)	—	-55	+110
PCX2 339, 339, PCX2 337, 337	X2	305 ac	0.001μF~33.0μF M(+/-20%)	—	-55	+110
PCX2 335M, PCX2 335, 335M, 335	X2	305 ac	0.001μF~2.2μF M(+/-20%)	—	-55	+110
PCY2 130, 130	Y2	300 ac	0.001μF ~ 1μF (K: +/-10%, M: +/-20%)	—	-55	+110
PCX1 331 or 331	X1	440 ac	0.01μF~1μF M(+/-20%)	—	-55	+110
PCRC 420 and 420	X2	250 ac	0.033μF~0.22μF (K: +/-10%, M: +/-20%)	22, 47 or 120	-40	+85

PILKOR

Marking: Company name or trademark **PILKOR** and type designation.
[Last Updated](#) on 2016-05-02

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

◆ 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".